

Fig. 1




Fig. 2




Fig. 3

Process Cell




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10

General Recipe Procedure	Master Recipe Procedure
	1. Open purge valve PV1 to unit U1. 2. Activate purge pump PP1. 3. Deactivate discharge pump PP1 after 5 minutes. 4. Close discharge valve PV1.
1. Add 0.5 lbs material A per pound product C required.	5. Open inlet valve IV1A to unit U1. (to material A) 6. Read unit U1 weight on load cell LC1, store initial weight 1. 7. Activate inlet pump IP1A. (to material A) 8. Read load cell LC1, when $weight - initial\ weight\ 1 = 0.5\ X\ lbs\ product\ reqd.$ , deactivate IP1A. 9. Close inlet valve IV1A.
2. Add 0.5 lbs material B per pound product C required.	10. Open inlet valve IV1B to unit U1. (to material B) 11. Read weight on load cell LC1, store initial weight 2. 12. Activate inlet pump IP1B. (to material B) 13. Read load cell LC1, when $weight - initial\ weight\ 2 = 0.5\ X\ lbs\ product\ reqd.$ , deactivate IP1B. 14. Close inlet valve IV1B.
3. Mix for 30 minutes at 1/2 turn over of material per minute.	15. Activate mixer M1 on unit U1 at 15 rpm. 16. Deactivate mixer M1 after 30 minutes. 17. Open flow valve FV1/2 from unit U1 to unit U2. 18. Read unit U2 weight on load cell LC2, store initial weight 3. 19. Activate flow pump FP1/2 (from unit U1 to unit U2). 20. Read load cell LC2, when $weight - initial\ weight\ 3 = 1\ X\ lbs\ product\ reqd.$ , deactivate FP1/2. 21. Close flow valve FV1/2. 22. Read unit U1 weight on load cell LC1, verify weight = initial weight 1, else activate alarm A1 to operator.
4. Heat mixture for 45 minutes at 90 degrees C.	23. Activate heater H2 on unit U2. 24. Monitor temperature sensor TS2 on U2, using H2, control TS2 to 90 degrees C for 45 minutes.
5. Allow product to cool to < 40 degrees C.	25. Deactivate HS2, monitor TS2, when temp. < 40 degrees C, open discharge valve DV2C to tank C.
6. Discharge 1 pound product C.	26. Activate discharge pump DP2C to tank C. 27. Monitor unit 2 load cell LC2, when weight = initial weight 3, deactivate discharge pump DP2C. 28. Close valve DV2C.
	29. Open purge valve PV2 to unit U2. 30. Activate discharge pump PP2 to unit U2. 31. Deactivate discharge pump PP2 after 5 minutes. 32. Close discharge valve PV2.

Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15

Unit From	Unit To	Transfer From Recipe Segment	Transfer To Recipe Segment
U2	U1	SEG U2-T5	SEG U1-T2
U2	U5	SEG U2-T5	SEG U5-T2
U1	U5	SEG U1-T5	SEG U5-T1
U3	U4	SEG U3-T4	SEG U4-T3
U4	U6	SEG U4-T6	SEG U6-T4
U5	U6	SEG U5-T6	SEG U6-T5
U5	U7	SEG U5-T7	SEG U7-T5
U6	U7	SEG U6-T7	SEG U7-T6
U6	U8	SEG U6-T8	SEG U8-T6

Fig. 16

Recipe Segment	Unit	Class	Material	Action
SEG U1-1-7	U1	No	M7	Action 1
SEG U1-2	U1	No		Action 2
SEG U1-3-8	U1	No	M8	Action 3
SEG U1-5	U1	No		Action 5
SEG U1-4	U1	No		Action 4
SEG U2-1-7	U2	No	M7	Action 1
SEG U2-1-7B	U2	No	M7	Action 1
SEG U3-15-3	U3	Yes	M3	Action 15
SEG U3-16	U3	Yes		Action 16
SEG U3-17-4	U3	Yes	M4	Action 17
SEG U4-1-5	U4	No	M5	Action 1
SEG U4-16	U4	No		Action 16
SEG U4-17	U4	No		Action 17
SEG U4-5	U4	No		Action 5
SEG U4-3-1	U4	Yes	M1	Action 3
SEG U4-3-2	U4	No	M2	Action 3
SEG U4-7	U4	Yes		Action 7
SEG U5-1-7	U5	No	M7	Action 1
SEG U5-5	U5	No		Action 5
SEG U5-4	U5	No		Action 4
SEG U6-1-7	U6	No	M7	Action 1
SEG U6-5	U6	No		Action 5
SEG U6-7	U6	Yes		Action 7
SEG U7-6	U7	No		Action 6
SEG U7-10	U7	No		Action 10
SEG U8-6	U8	No		Action 6
SEG U8-10	U8	No		Action 10

Fig. 17

Unit	Start Recipe Segment	End Recipe Segment
U1	SEG U1-S	<null>
U2	SEG U2-S	SEG U2-E
U3	<null>	SEG U3-E
U4	SEG U4-S	SEG U4-E
U5	<null>	<null>
U6	<null>	<null>
U7	<null>	<null>
U8	<null>	<null>

Fig. 18

Unit	Material of Construction	Unit Type	Volume	Agitation Speed		Temperature		Pressure	
				Max.	Min	Max.	Min.	Max.	Min.
U1	SS	Mixer	10000	200	0	<NULL>	<NULL>	<NULL>	<NULL>
U2	SS	Chiller	5000	20	20	<NULL>	-50	<NULL>	<NULL>
U3	SS/GL	Mixer	5000	100	0	<NULL>	<NULL>	30	-1
U4	SS/GL	Reactor	3000	100	0	300	-50	100	-1
U5	SS	Reactor	5000	100	0	250	<NULL>	50	<NULL>
U6	SS/GL	Reactor	2000	50	0	400	-100	100	-1
U7	SS	Separator	5000	100	0	300	-50	30	-1
U8	SS/GL	Separator	10000	200	0	250	<NULL>	10	-1

Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28




Fig. 29




Fig. 30




Fig. 31




Fig. 32




Fig. 33




Fig. 34




Fig. 35




Fig. 36




Fig. 37




Fig. 38




Fig. 39

From Element	To Element	From Type	To Type
Path 1	Join 1	Path	Join
Path 2	Join 1	Path	Join
Join 1	Path 4	Join	Path
Path 3	Join 2	Path	Join
Path 4	Join 2	Path	Join
Join 2	Path 5	Join	Path

Fig. 40




Fig. 41




Fig. 42




Fig. 43




Fig. 44




Fig. 45




Fig. 46




Fig. 47




Fig. 48




Fig. 49




Fig. 50




Fig. 51




Fig. 52




Fig. 53




Fig. 54

卷之三




PROCESS ACTION	RECIPE SEGMENT
MIX	 <pre> graph TD     A{TRUE} --&gt; B[Mix]     B -- 54 --&gt; C{Mix.State = Complete}     C -- 64 --&gt; A   </pre>
CHARGE SALT	 <pre> graph TD     A{TRUE} --&gt; B[AddSalt]     B -- 54 --&gt; C{Mix.State = Complete}     C -- 64 --&gt; A   </pre>
CHARGE WATER	 <pre> graph TD     A{TRUE} --&gt; B[ValveCheck]     B -- 54 --&gt; C[Add DistilledWater]     C -- 54 --&gt; D{Heat}     D -- No Heat --&gt; E{Mix.State = Complete}     E -- 64 --&gt; A   </pre>

Fig. 55




Fig. 56




Fig. 57




Fig. 58




Fig. 59




Fig. 60




Fig. 61




Fig. 62




Fig. 63




Fig. 64




Fig. 65




Fig. 66




Fig. 67

**Edit Recipe**

General		History		Results	
Name:	PRODUCT_C	Dates and Times:			
Version:	1.2	Revision:	0	Last Modified:	04/05/1999 09:43:40 AM
Description:	Effective Date: 04/05/1999				Expiration Date: 04/05/1999
Workflow State:	Normalized Batch:				Approved
Author:	Batch Size:				John Doe
Product Line:	Eng. Unit:				Engine Oil
Product Code:					Lube C

OK Cancel Apply

Fig. 68




Fig. 69




Fig. 70




Fig. 71




Fig. 72




Fig. 73




Fig. 74




Fig. 75




Fig. 76




Fig. 77




Fig. 78




Fig. 79




Fig. 80




Fig. 81





Fig. 82



142

144

Fig. 83

Header Data

Procedure Identifier	MAKE_PRODUCT_C		
Version Number	1.0		
Version Date	04/05/1999 3:08:20 PM		
Author	John Doe		
Approved By	Joe D		
Product Name	Engine Oil		
Product Code	Lube C		
Batch Size: Min	500	Default	1000
Batch Size: Max	2000	Units of Measure:	lbs
Estimated Duration	2 hr		
Procedure Description	Lube Oil for Gas Engine		
Procedure Abstract			
Released To Production	<input checked="" type="checkbox"/>		
Area Model File Name	\IXW2\BATCHCTL\PEASOUP\RECIPES\BATCHSIM.CFG		
Area Model Verified Against	Recipe verification not executed.		
Time of Verification	Recipe verification not executed.		
File Name	\IXW2\BATCHCTL\PEASOUP\RECIPES\MAKE_PRODUCT_C.BP		
<input type="button" value="OK"/>		<input type="button" value="Cancel"/>	

Fig. 84




Fig. 85




Fig. 86




Fig. 87




Fig. 88

Recipe Segment	Process Action	Class/Instance Based	Associated Unit	Material
Add, SU2	Charge:1	Instance	Premix_A	A
Add, SU4	Charge_B:1	Instance	Premix_A	B
Add, SU7	Charge:2	Instance	Premix_A	C
Heat, SU5	Temp_Ctrl:1	Class	Premix_A	
Heat, SU8	Maintain_Temp:1	Class	Premix_A	
Hold, SU9	Temp_Ctrl:2	Class	Premix_A	
Add, E4	Charge_X:1	Instance	Reactor_1	D
Add, E5	M_Charge:1	Instance	Reactor_1	E
Sample, E3	Analyze:1	Instance	Reactor_1	
Sample, E6	Analyze:2	Instance	Reactor_1	
Cool, E7	Ramp_Temp:1	Class	Reactor_1	
Dump, SE2	Discharge:1	Instance	Reactor_1	Product_C
Recycle, SE3	Recirc:1	Instance	Reactor_1	Recoverable_Gas

Fig. 89




Fig. 90

Formula Value Entry

Name	Type	Origin	Low	Value	High	EU	Display
AMOUNT TO CHARGE	Real	Value	100.00	500.00	800.00	GALLONS	<input checked="" type="checkbox"/>
FLOW RATE	Real	Operator	100.00	200.00	300.00	GAL/HR	<input type="checkbox"/>

It could have a mapping equation, for example:  
 $100 + (SP + 250) / 60$

OK Cancel

Fig. 91

10955870 - 051532

Edit Phase: CHARGE

General Parameters Reports Messages

Name	ID	Type	High	Low	Default	Enum/E.U.	Scale	DL on Start	UL on Start	DL on TOC	UL on TOC
AMOUNT_TO_CHARGE	1	REAL	1000	300	500	GALLONS	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
FLOW RATE	2	REAL	500	100	200	GAL/HR	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Add Parameter Delete Parameter

OK Cancel Apply Help

Fig. 92

10955870 - 051532

Edit Phase: CHARGE

General Parameters Reports Messages

Name	ID	Type	Enum/E.U.	UL on Terminal State	UL on TOC
AMOUNT CHARGED	1	REAL GALLONS		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Add Report Delete Report

OK Cancel Apply Help

Fig. 93




Fig. 94




Fig. 95




Fig. 96




Fig. 97






Fig. 98






Fig. 101